

Product Handling Instructions



Example 2 Compound Libraries



Inhibitors & Agonists



Natural Products

How to properly handle the product?

During transportation, the product may move around within its packaging, resulting in the product adhering to the neck or cap of the vial. Please take the vial out of its packaging and centrifuge the vial between 200-500 RPM to gather the product at the bottom of the vial. This will minimize loss or contamination during subsequent handling.

TargetMol products are typically obtained by chemical synthesis. The products are not temperature sensitive since the reactions usually occur between 50-80 °C. Therefore, there will not be any negative effects on the products if the ice pack has melted during shipping. TargetMol will follow special procedures and provide specific instructions for products that require low-temperature transportation.

What is the margin of error during the weighing of the product?

Weighing Range	5-25 mg	50-500 mg	>1g
Error Range	0.1 mg	1 mg	2-5 mg

How to prepare the stock solution?

Please select a suitable solvent to prepare the concentrated stock solution according to the experiment requirements. Solubility information can be found on the product page of our website. For in. vitro experiments, DMSO is often used as the solvent. The stock solution is then diluted to make a working solution (e.g., 1:1000 dilution in cell culture medium).

Here are some recommendations for dissolving the product:

1) Recalculate the concentration of the stock solution according to the following formula:

Actual Concentration(mg/mL)=Molecular Weight (g/mol) x Concentration (mM) x 10⁻³

- 2) Check to see if the solvent has been contaminated e.g., DMSO absorbs moisture.
- 3) Some compounds are difficult to dissolve due to their structure and chemical characteristics and may require additional mixing such as vortexing or ultra-sonication. When necessary, heating the compound may also help in the dissolution process. But remember not to heat the compound higher than 45°C to prevent altering the product.
- 4) If you require additional assistance, please send the email to **tech@targetmol.com**.

How to store the product?

Store at -20 °C or -80 °C. Aliquot stock solution to routine usage volumes and store at -20 °C or -80 °C. Avoid repeated freezing and thawing.

How to prepare the working solution?

- 1) Calculate the dilution required by using our dilution calculator.
- 2) Slowly add the stock solution into the solvent until the desired concentration is obtained. Mix by vortexing or repeated pipetting.
- 3) If precipitation is present in the working solution, allow the working solution to stand for 10 minutes, vortex or pipette mixing and then recheck.





4) Our compounds are mostly liposoluble. Precipitation may be present when diluted using aqueous solvents such as cell culture medium or PBS. A completed issolution can be achieved by ultra-sonication.

How to sterilize the working solution?

Generally, it is not necessary to conduct serialization if the DMSO is used as the solvent, which itself has strong bactericidal activity. If you decide to proceed with the sterilization, we suggest sterilizing the working solution by filtration. DO NOT sterilize the working solution by autoclaving.

What should I pay attention to for cell-based assays?

DMSO is used to prepare the stock solution in most cell-based assays. The stock solution is diluted in the culture medium to prepare a working solution. Make sure the concentration of DMSO is <=0.1% to avoid poisoning the cells. Usually, the negative control in the experiment is the culture medium with DMSO at the same concentration.

What should I pay attention to for animal experiments?

1) If the stock solution is prepared with DMSO and diluted with saline or PBS to prepare the working solution, the concentration of DMSO should be kept below 10% to avoid animal toxicity. If the dosing concentration is high and exceeds the solubility of the product it self, or if precipitation occurs during the dilution of the working solution, solubilizers can be used. Commonly used solubilizers include: Sodium carboxymethyl cellulose (CMC-Na), Tween 80, polyethylene glycol (PEG), and vegetable oil.

2) Conversion chart between different animal models:

Group A Animals							
Conversion Coefficient		Mouse(20g)	Rat(200g)	Rabbit(1.5kg)	Dog(12kg)		
Group B Animals	Mouse (20g)	1.0	1.6	2.7	4.8		
	Rat (200g)	0.7	1.0	1.88	3.6		
	Rabbit (1.5kg)	0.37	0.52	1.0	1.76		
	Dog (12kg)	0.21	0.28	0.56	1.0		

For example, to convert the dose used in a mouse (20m/kg) to the dose used for a 1.5kg Rabbit: Group A Animal: mouse; Group B Animal: Rabbit;

The dose used in the Rabbit would be 1. 5kgx $(0.37 \times 20 \text{ mg/kg}) = 11.1 \text{ mg}.$

Conversion Coefficient: 0.37

Do I need to weigh the product after it is received?

There is no need to weigh the product after it is received. You can add the solvent to prepare the stock solution directly. If you purchase the bulk size product, we suggest you weigh the certain amount of product to prepare the stock solution and store the remaining product at -20°C or -80°C.

What are the safety precautions I must take when using products from TargetMol?

You can download the material safety data sheet (MSDS) from the product page for hazard identifications, first aid measures, firefighting measures, etc.

How to use liquid products?

Some compounds have a low melting point and are in liquid form at room temperature (DMSO/lactic acid/oleic acid). The product itself is a pure liquid without any other solvent components, so it is recommended to first prepare a solution. For small packages, it is recommended to directly add a solvent for dissolution to minimize product loss. For bulk products, if a specific mass is required, calculate the volume based on the compound's density and then use a pipette to draw the liquid.

What do the icons on product labels represent?





protection



Protected from light



Hygroscopic



Store at low temperature



Scan to follow us

If you have any questions, please contact our technical support at any time tech@targetmol.com